

Rechercher sur ce site >>

Site des amis de SPiP

2	__syndic4	0.0582391602173	1	33
1	__syndic	0.02278691745	2	
88	__pop	0.0058329772644	384	403 412 420 425 437 443 446 448 449 457 461 465 466 473 476 477 482 484 485 486 487 493 49
1	__syndic7	0.00395396522522	3	
1	__herbier	0.00260711080933	7	
1	__syndic6	0.00197700492859	8	
1	__syndic2	0.00169895419312	10	
16	__compte	0.00116255641174	17	139 153 162 190 220 233 244 252 259 285 324 317 622 627 622
22	__auteurs	0.000907178268433	146	170 179 187 191 213 236 337 392 376 401 405 408 419 436 468 497 501 516 530 557 578
1	__tags	0.000804922210693	12	
1	__gazette	0.000518955490112	16	
8	__pages	0.000481906829834	82	82 83 88 96 123 126 632
1	__articles_recents	0.000458114929199	19	
7	__compte_forums	0.000350112335205	84	140 188 241 288 278 280
2	__sites	0.000201081878662	54	64
2	__titreblog	0.00012998443604	84	333
1	__forums_liens	0.00011307232666	56	116
2	__doc	0.000111026626587	102	108
1	__revisions	0.000102995422363	69	
1	__articles_sommaire	9.88877563476E-5	62	
1	__brulant	8.50802459716E-5	65	
1	__boussole	8.01057281494E-5	67	
1	__actifs	7.99470672608E-5	68	
1	__motplugin	7.70629882813E-5	70	
1	__ext	7.69789428711E-5	72	
1	__entetelang	7.49655303955E-5	76	
1	__tous	6.61047058105E-5	91	
1	__syndic5	6.30263061523E-5	101	
1	__document	6.191292199707E-5	108	
1	__langues	5.89838256836E-5	122	
1	__titreparty	5.59417724609E-5	127	
1	__titresvn	5.30632019043E-5	152	
1	__rubriques2	5.19133758545E-5	161	
1	__titreforums	4.71141815186E-5	182	
1	__articlesentete	4.69265594483E-5	222	
1	__mots_importants	4.60410461426E-5	227	
1	__motsarticleentete	4.21168670655E-5	291	
1	__compteurrubriquesplugin	3.99989471436E-5	347	
1	__compteurrubriqueszone	3.79314117431E-5	421	
1	__secteur2	3.60997619628E-5	496	
1	__motzone	3.50150604248E-5	568	
1	__testcontexterubrique	3.41056671143E-5	591	

Squelettes complets (170)

Documentation (162)

Site de SPiP et autour de SPiP (121)

Mots Compilations

631 total : 0.160044012833

Squelettes prêts à l'emploi, pour site de type weblog.
 Introduction Le thème d'origine est téléchargeable sur Google code. Son auteur est Arun Kale. Il se base sur le framework CSS Blueprint ce qui assure un bon niveau de compatibilité entre les navigateurs. Le doctype est XHTML 1.0 Transitional. La licence du thème d'origine est MIT [en] [1] L'adaptation a été réalisée pour SPiP 2.0. Quelques légères adaptations devraient le rendre compatible avec les (...)

119 commentaires

tag

Aide à la rédaction Aide administration Gestion sites Plugins Graphisme Navigation Travail collaboratif Habillages Multilinguisme Avec mots clefs sur SPiP-Zone Exemple programmation Forums Portfolio Outil développement Typographie Diaporama Mails Éducation Authentification Nouveau raccourci Boucles Avec dates Agenda Intranet-Extranet Menus Multimédia Formation SPiP Squelettes Plugins utilisés sur ce site Blog Syndication Import-export Statistiques Avec CFG Documentation Gestion Documents Présentation de projet Édition publique Site d'information Accessibilité Auteurs étendus Gestion base Éléments de squelette Extraction directe base Serveurs Inclure des squelettes Impression Google Maps XHTML Retours lecteurs Script Antipapans Association Animation Urls propres Wiki Balise Documentation code Plugins Glossaire Paramétrage mes_options Filtre Institutionnel Modèle

3:33	__syndic4 {1}	0.0573381125183	SELECT syndic_articles.date, syndic_articles.url, syndic_articles.titre, syndic_articles.descriptif
3:12	__syndic4 {1}	#1913	FROM "spipcont"."spip_syndic_articles" AS "syndic_articles" INNER JOIN "spipcont"."spip_syndic" AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 423) AND (LEAST((UNIX_TIMESTAMP(now))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now))-TO_DAYS(syndic_articles.date) < 7) AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,25

	<table border="1"> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	rows	1	Extra	Using filesort																									
rows	1																													
Extra	Using filesort																													
2	<table border="1"> <tr><td colspan="2">_syndic (1)</td></tr> <tr><td>Time</td><td>0.02278691745</td></tr> <tr><td>Order</td><td>398</td></tr> <tr><td>Res</td><td>#1991</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>syndic_articles</td></tr> <tr><td>type</td><td>range</td></tr> <tr><td>possible_keys</td><td>id_syndic_statut</td></tr> <tr><td>key</td><td>id_syndic</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td></td></tr> <tr><td>rows</td><td>3245</td></tr> <tr><td>Extra</td><td>Using where Using filesort</td></tr> </table>	_syndic (1)		Time	0.02278691745	Order	398	Res	#1991	id	1	select_type	SIMPLE	table	syndic_articles	type	range	possible_keys	id_syndic_statut	key	id_syndic	key_len	8	ref		rows	3245	Extra	Using where Using filesort	<p>09-06 Revision 29080: proposer de forcer les valeurs des paramètres suivants (dans l'ordre de ...</p> <p>09-06 Revision 29081: Un peu de typo pour voir plus facilement les listes avec des élus</p> <p>09-06 Revision 29077: un peu de typo (espace dans les nombres) + correction sur le calcul de la ...</p> <p>08-06 Revision 29058: Prime majoritaire + deux trois modifs esthétiques</p> <p>08-06 Revision 29055: compatibilité avec l'écran de secu : 'id_parents' ne peut contenir que des ...</p> <p>07-06 Revision 29053: conformité xhtml et une seule roude d'attente dans la colonne document</p> <p>07-06 Revision 29052: pas de formulaire de recherche sur le portfolio en ajax pour le ...</p> <p>07-06 Revision 29048: Un cadre pour le gravatar de l'auteur dans le style de celui du logo ...</p> <pre> SELECT syndic_articles.date, syndic_articles.url, L1.url_site, L1.nom_site, syndic_articles.titre FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND ((syndic_articles.id_syndic NOT IN (128,129,157,247,57,158,160,162,163,164,165,166,167,168,171,172,173,174,175,179,180,181,182,185,186,187,18) AND (LEAST((UNIX_TIMESTAMP(now()))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now()))-TO_DAYS(s) AND (L1.statut = 'publie') ORDER BY syndic_articles.date DESC LIMIT 0,36 </pre>
_syndic (1)																														
Time	0.02278691745																													
Order	398																													
Res	#1991																													
id	1																													
select_type	SIMPLE																													
table	syndic_articles																													
type	range																													
possible_keys	id_syndic_statut																													
key	id_syndic																													
key_len	8																													
ref																														
rows	3245																													
Extra	Using where Using filesort																													
3	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.0195028949432</td></tr> <tr><td>Order</td><td>130</td></tr> <tr><td>Res</td><td>#1008</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.0195028949432	Order	130	Res	#1008	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<p>07-06 Simplifiez-vous le forum avec Vanilla</p> <p>07-06 Module</p> <p>07-06 Revision 29040: Oté debug affichage des articles modifiés.</p> <pre> SELECT U.url, U.date, O.titre, lang FROM `spipcont`.`spip_rubriques` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='rubrique' AND U.id_objet=O.id_rubrique) WHERE O.id_rubrique=174 ORDER BY U.date DESC LIMIT 1 </pre>
Hors Compilation																														
Time	0.0195028949432																													
Order	130																													
Res	#1008																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
4	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.00695508525085</td></tr> <tr><td>Order</td><td>421</td></tr> <tr><td>Res</td><td>#2265</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.00695508525085	Order	421	Res	#2265	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<pre> SELECT U.url, U.date, O.titre, lang FROM `spipcont`.`spip_articles` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='article' AND U.id_objet=O.id_article) WHERE O.id_article=3057 ORDER BY U.date DESC LIMIT 1 </pre>
Hors Compilation																														
Time	0.00695508525085																													
Order	421																													
Res	#2265																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
5	<table border="1"> <tr><td colspan="2">_syndic? (1)</td></tr> <tr><td>Time</td><td>0.00395396522522</td></tr> <tr><td>Order</td><td>609</td></tr> <tr><td>Res</td><td>#3967</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	_syndic? (1)		Time	0.00395396522522	Order	609	Res	#3967	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using filesort	<pre> SELECT syndic_articles.date, syndic_articles.url, syndic_articles.description, syndic_articles.titre FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 57) AND (LEAST((UNIX_TIMESTAMP(now()))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now()))-TO_DAYS(s) AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,25 </pre>
_syndic? (1)																														
Time	0.00395396522522																													
Order	609																													
Res	#3967																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using filesort																													
6	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.00348796429443</td></tr> <tr><td>Order</td><td>382</td></tr> </table>	Hors Compilation		Time	0.00348796429443	Order	382	<pre> SELECT U.url, U.date, O.titre, "" AS lang FROM `spipcont`.`spip_mots` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='mot' AND U.id_objet=O.id_mot) WHERE O.id_mot=264 ORDER BY U.date </pre>																						
Hors Compilation																														
Time	0.00348796429443																													
Order	382																													

	<table border="1"> <tr><td>Res</td><td>#1873</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>D</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Res	#1873	id	1	select_type	SIMPLE	table	D	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	DESC LIMIT 1						
Res	#1873																													
id	1																													
select_type	SIMPLE																													
table	D																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
7	<table border="1"> <tr><td colspan="2">_herbier (1)</td></tr> <tr><td>Time</td><td>0.00260711080933</td></tr> <tr><td>Order</td><td>542</td></tr> <tr><td>Res</td><td>#3143</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	_herbier (1)		Time	0.00260711080933	Order	542	Res	#3143	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<pre>SELECT rand() AS alea, syndic_articles.description, syndic_articles.titre, syndic_articles.url FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 130) AND (L1.statut = 'publie') GROUP BY alea ORDER BY alea LIMIT 0,1</pre>
_herbier (1)																														
Time	0.00260711080933																													
Order	542																													
Res	#3143																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
8	<table border="1"> <tr><td colspan="2">_pop (71)</td></tr> <tr><td>Time</td><td>0.0022470506897</td></tr> <tr><td>Order</td><td>355</td></tr> <tr><td>Res</td><td>#1778</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>ref</td></tr> <tr><td>possible_keys</td><td>PRIMARY,id_mot</td></tr> <tr><td>key</td><td>id_mot</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>2</td></tr> <tr><td>Extra</td><td></td></tr> </table>	_pop (71)		Time	0.0022470506897	Order	355	Res	#1778	id	1	select_type	SIMPLE	table	L1	type	ref	possible_keys	PRIMARY,id_mot	key	id_mot	key_len	8	ref	const	rows	2	Extra		<pre>SELECT count(*) FROM `spipcont`.`spip_articles` AS `articles` INNER JOIN `spipcont`.`spip_mots_articles` AS L1 ON (L1.id_article = articles.id_article) WHERE (articles.statut = 'publie') AND (L1.id_mot = 249) AND (articles.id_secteur != 607)</pre>
_pop (71)																														
Time	0.0022470506897																													
Order	355																													
Res	#1778																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	ref																													
possible_keys	PRIMARY,id_mot																													
key	id_mot																													
key_len	8																													
ref	const																													
rows	2																													
Extra																														
9	<table border="1"> <tr><td colspan="2">_syndic6 (1)</td></tr> <tr><td>Time</td><td>0.00197700492859</td></tr> <tr><td>Order</td><td>616</td></tr> <tr><td>Res</td><td>#4061</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	_syndic6 (1)		Time	0.00197700492859	Order	616	Res	#4061	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using filesort	<pre>SELECT syndic_articles.date, syndic_articles.url, syndic_articles.description, syndic_articles.titre FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 247) AND ((LEAST((UNIX_TIMESTAMP(now()))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now()))-TO_DAYS(syndic_articles.date)) < 25 AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,25</pre>
_syndic6 (1)																														
Time	0.00197700492859																													
Order	616																													
Res	#4061																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using filesort																													
10	<table border="1"> <tr><td colspan="2">_syndic2 (1)</td></tr> <tr><td>Time</td><td>0.00169895419312</td></tr> <tr><td>Order</td><td>605</td></tr> <tr><td>Res</td><td>#3921</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> </table>	_syndic2 (1)		Time	0.00169895419312	Order	605	Res	#3921	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	<pre>SELECT syndic_articles.date, syndic_articles.url, syndic_articles.description, syndic_articles.titre FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 129) AND ((LEAST((UNIX_TIMESTAMP(now()))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now()))-TO_DAYS(syndic_articles.date)) < 25 AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,25</pre>								
_syndic2 (1)																														
Time	0.00169895419312																													
Order	605																													
Res	#3921																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													

	<table border="1"> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	key_len	8	ref	const	rows	1	Extra	Using filesort																					
key_len	8																													
ref	const																													
rows	1																													
Extra	Using filesort																													
11	<table border="1"> <tr><td colspan="2">_syndic4 (2)</td></tr> <tr><td>Time</td><td>0.000901047698975</td></tr> <tr><td>Order</td><td>601</td></tr> <tr><td>Res</td><td>#3875</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	_syndic4 (2)		Time	0.000901047698975	Order	601	Res	#3875	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using filesort	<pre>SELECT syndic_articles.date, syndic_articles.url, syndic_articles.description, syndic_articles.titre FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 157) AND ((LEAST((UNIX_TIMESTAMP(now()))-UNIX_TIMESTAMP(syndic_articles.date))/86400, TO_DAYS(now()))-TO_DAYS(syndic_articles.date)) < 30) AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,25</pre>
_syndic4 (2)																														
Time	0.000901047698975																													
Order	601																													
Res	#3875																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using filesort																													
12	<table border="1"> <tr><td colspan="2">_tags (1)</td></tr> <tr><td>Time</td><td>0.000804922210693</td></tr> <tr><td>Order</td><td>213</td></tr> <tr><td>Res</td><td>#1281</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>mots</td></tr> <tr><td>type</td><td>ALL</td></tr> <tr><td>possible_keys</td><td></td></tr> <tr><td>key</td><td></td></tr> <tr><td>key_len</td><td></td></tr> <tr><td>ref</td><td></td></tr> <tr><td>rows</td><td>142</td></tr> <tr><td>Extra</td><td>Using where Using filesort</td></tr> </table>	_tags (1)		Time	0.000804922210693	Order	213	Res	#1281	id	1	select_type	SIMPLE	table	mots	type	ALL	possible_keys		key		key_len		ref		rows	142	Extra	Using where Using filesort	<pre>SELECT mots.id_mot, rand() AS hasard, mots.titre, mots.id_groupe FROM `spipcont`.`spip_mots` AS `mots` WHERE (mots.id_groupe REGEXP '^(24 23 20)\$') AND NOT((mots.id_groupe REGEXP '^(1)\$')) ORDER BY mots.titre</pre>
_tags (1)																														
Time	0.000804922210693																													
Order	213																													
Res	#1281																													
id	1																													
select_type	SIMPLE																													
table	mots																													
type	ALL																													
possible_keys																														
key																														
key_len																														
ref																														
rows	142																													
Extra	Using where Using filesort																													
13	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000687031112671</td></tr> <tr><td>Order</td><td>184</td></tr> <tr><td>Res</td><td>#1171</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000687031112671	Order	184	Res	#1171	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<pre>SELECT U.url, U.date, O.titre, lang FROM `spipcont`.`spip_rubriques` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='rubrique' AND U.id_objet=O.id_rubrique) WHERE O.id_rubrique=377 ORDER BY U.date DESC LIMIT 1</pre>
Hors Compilation																														
Time	0.000687031112671																													
Order	184																													
Res	#1171																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
14	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000531000061035</td></tr> <tr><td>Order</td><td>153</td></tr> <tr><td>Res</td><td>#1078</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000531000061035	Order	153	Res	#1078	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<pre>SELECT U.url, U.date, O.titre, " AS lang FROM `spipcont`.`spip_mots` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='mot' AND U.id_objet=O.id_mot) WHERE O.id_mot=222 ORDER BY U.date DESC LIMIT 1</pre>
Hors Compilation																														
Time	0.000531000061035																													
Order	153																													
Res	#1078																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
15	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> </table>	Hors Compilation		<pre>SELECT id_auteur,login,alea_actuel,alea_futur,prefs,source,login FROM `spipcont`.`spip_auteurs`</pre>																										
Hors Compilation																														

	<table border="1"> <tr><td>Time</td><td>0.000519041824341</td></tr> <tr><td>Order</td><td>31</td></tr> <tr><td>Res</td><td>#442</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>spip_auteurs</td></tr> <tr><td>type</td><td>ref</td></tr> <tr><td>possible_keys</td><td>login,statut</td></tr> <tr><td>key</td><td>login</td></tr> <tr><td>key_len</td><td>767</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using where</td></tr> </table>	Time	0.000519041824341	Order	31	Res	#442	id	1	select_type	SIMPLE	table	spip_auteurs	type	ref	possible_keys	login,statut	key	login	key_len	767	ref	const	rows	1	Extra	Using where	<pre>WHERE statut<>'Spoubelle' AND (pass<>' OR source<>'spip') AND (login='cedric')</pre>		
Time	0.000519041824341																													
Order	31																													
Res	#442																													
id	1																													
select_type	SIMPLE																													
table	spip_auteurs																													
type	ref																													
possible_keys	login,statut																													
key	login																													
key_len	767																													
ref	const																													
rows	1																													
Extra	Using where																													
16	<table border="1"> <tr><td colspan="2">_gazette (1)</td></tr> <tr><td>Time</td><td>0.000518955490112</td></tr> <tr><td>Order</td><td>16</td></tr> <tr><td>Res</td><td>#199</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY,statut</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using filesort</td></tr> </table>	_gazette (1)		Time	0.000518955490112	Order	16	Res	#199	id	1	select_type	SIMPLE	table	L1	type	const	possible_keys	PRIMARY,statut	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using filesort	<pre>SELECT syndic_articles.date, syndic_articles.titre, syndic_articles.tags, syndic_articles.descriptif, syndic_articles.uri FROM `spipcont`.`spip_syndic_articles` AS `syndic_articles` INNER JOIN `spipcont`.`spip_syndic` AS L1 ON (L1.id_syndic = syndic_articles.id_syndic) WHERE (syndic_articles.statut = 'publie') AND (syndic_articles.id_syndic = 386) AND (L1.statut = 'publie') GROUP BY syndic_articles.id_syndic_article ORDER BY syndic_articles.date DESC LIMIT 0,1</pre>
_gazette (1)																														
Time	0.000518955490112																													
Order	16																													
Res	#199																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	const																													
possible_keys	PRIMARY,statut																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using filesort																													
17	<table border="1"> <tr><td colspan="2">_compte (5)</td></tr> <tr><td>Time</td><td>0.000505073074341</td></tr> <tr><td>Order</td><td>107</td></tr> <tr><td>Res</td><td>#948</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>articles</td></tr> <tr><td>type</td><td>range</td></tr> <tr><td>possible_keys</td><td>id_rubrique,id_secteur,statut</td></tr> <tr><td>key</td><td>id_rubrique</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td></td></tr> <tr><td>rows</td><td>24</td></tr> <tr><td>Extra</td><td>Using where</td></tr> </table>	_compte (5)		Time	0.000505073074341	Order	107	Res	#948	id	1	select_type	SIMPLE	table	articles	type	range	possible_keys	id_rubrique,id_secteur,statut	key	id_rubrique	key_len	8	ref		rows	24	Extra	Using where	<pre>SELECT count(*) FROM `spipcont`.`spip_articles` AS `articles` WHERE (articles.statut = 'publie') AND ((articles.id_rubrique IN (176,275,88,424,308,328,897,899,1070,1088,1156,1188,276,309,329,425,898,900,1090,1104,1101))) AND (articles.id_secteur != 607)</pre>
_compte (5)																														
Time	0.000505073074341																													
Order	107																													
Res	#948																													
id	1																													
select_type	SIMPLE																													
table	articles																													
type	range																													
possible_keys	id_rubrique,id_secteur,statut																													
key	id_rubrique																													
key_len	8																													
ref																														
rows	24																													
Extra	Using where																													
18	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000459882247925</td></tr> <tr><td>Order</td><td>22</td></tr> <tr><td>Res</td><td>#380</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000459882247925	Order	22	Res	#380	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	<pre>SELECT U.uri, U.date, O.nom AS titre, "" AS lang FROM `spipcont`.`spip_auteurs` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='auteur' AND U.id_objet=O.id_auteur) WHERE O.id_auteur=5384 ORDER BY U.date DESC LIMIT 1</pre>
Hors Compilation																														
Time	0.000459882247925																													
Order	22																													
Res	#380																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
19	<table border="1"> <tr><td colspan="2">_articles_recents (1)</td></tr> <tr><td>Time</td><td>0.000458114929199</td></tr> <tr><td>Order</td><td>402</td></tr> <tr><td>Res</td><td>#2089</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>PRIMARY</td></tr> <tr><td>table</td><td>articles</td></tr> <tr><td>type</td><td>ref</td></tr> </table>	_articles_recents (1)		Time	0.000458114929199	Order	402	Res	#2089	id	1	select_type	PRIMARY	table	articles	type	ref	<pre>SELECT articles.date, articles.id_article, articles.id_rubrique, articles.titre, articles.texte, articles.chapo, articles.descriptif FROM `spipcont`.`spip_articles` AS `articles` WHERE (articles.statut = 'publie') AND NOT((articles.id_article IN (SELECT L1.id_article FROM `spipcont`.`spip_mots_articles` AS `L1` WHERE (L1.id_mot = 239)))) AND (articles.lang = 'fr') AND ((articles.id_article NOT IN (2912,2966,3026))) AND (articles.id_secteur != 607)</pre>												
_articles_recents (1)																														
Time	0.000458114929199																													
Order	402																													
Res	#2089																													
id	1																													
select_type	PRIMARY																													
table	articles																													
type	ref																													

	<table border="1"> <tr><td>possible_keys</td><td>PRIMARY,id_secteur,statut,lang</td></tr> <tr><td>key</td><td>statut</td></tr> <tr><td>key_len</td><td>32</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1659</td></tr> <tr><td>Extra</td><td>Using where</td></tr> </table>	possible_keys	PRIMARY,id_secteur,statut,lang	key	statut	key_len	32	ref	const	rows	1659	Extra	Using where	ORDER BY articles.date DESC LIMIT 0,50																
possible_keys	PRIMARY,id_secteur,statut,lang																													
key	statut																													
key_len	32																													
ref	const																													
rows	1659																													
Extra	Using where																													
20	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000436072067261</td></tr> <tr><td>Order</td><td>172</td></tr> <tr><td>Res</td><td>#1140</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>spip_rubriques</td></tr> <tr><td>type</td><td>range</td></tr> <tr><td>possible_keys</td><td>id_parent</td></tr> <tr><td>key</td><td>id_parent</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td></td></tr> <tr><td>rows</td><td>43</td></tr> <tr><td>Extra</td><td>Using where</td></tr> </table>	Hors Compilation		Time	0.000436072067261	Order	172	Res	#1140	id	1	select_type	SIMPLE	table	spip_rubriques	type	range	possible_keys	id_parent	key	id_parent	key_len	8	ref		rows	43	Extra	Using where	SELECT id_rubrique FROM `spipcont`.`spip_rubriques` WHERE ((id_parent IN (210,248,252,305,737,417,446,86,490,524,527,529,535,545,547,578,581,602,610,611,613,625,627,643,692,666,
Hors Compilation																														
Time	0.000436072067261																													
Order	172																													
Res	#1140																													
id	1																													
select_type	SIMPLE																													
table	spip_rubriques																													
type	range																													
possible_keys	id_parent																													
key	id_parent																													
key_len	8																													
ref																														
rows	43																													
Extra	Using where																													
21	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000432046386719</td></tr> <tr><td>Order</td><td>136</td></tr> <tr><td>Res</td><td>#1023</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000432046386719	Order	136	Res	#1023	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	SELECT U.url, U.date, O.titre, lang FROM `spipcont`.`spip_rubriques` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='rubrique' AND U.id_objet=O.id_rubrique) WHERE O.id_rubrique=85 ORDER BY U.date DESC LIMIT 1
Hors Compilation																														
Time	0.000432046386719																													
Order	136																													
Res	#1023																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
22	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000267973602295</td></tr> <tr><td>Order</td><td>362</td></tr> <tr><td>Res</td><td>#1803</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000267973602295	Order	362	Res	#1803	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	SELECT U.url, U.date, O.titre, " AS lang FROM `spipcont`.`spip_mots` AS O LEFT JOIN `spipcont`.`spip_urls` AS U ON (U.type='mot' AND U.id_objet=O.id_mot) WHERE O.id_mot=248 ORDER BY U.date DESC LIMIT 1
Hors Compilation																														
Time	0.000267973602295																													
Order	362																													
Res	#1803																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
23	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000237927322388</td></tr> <tr><td>Order</td><td>390</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000237927322388	Order	390	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000237927322388																													
Order	390																													
Res	1																													
24	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.00022895199585</td></tr> <tr><td>Order</td><td>400</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.00022895199585	Order	400	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.00022895199585																													
Order	400																													
Res	1																													
25	<table border="1"> <tr><td colspan="2">Hors Compilation</td></tr> <tr><td>Time</td><td>0.000218991531372</td></tr> <tr><td>Order</td><td>396</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000218991531372	Order	396	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000218991531372																													
Order	396																													
Res	1																													

26	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000203882019043</td> </tr> <tr> <td>Order</td> <td>36</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000203882019043	Order	36	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000203882019043									
Order	36									
Res	1									
27	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000195013427734</td> </tr> <tr> <td>Order</td> <td>34</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000195013427734	Order	34	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000195013427734									
Order	34									
Res	1									
28	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.00019499772644</td> </tr> <tr> <td>Order</td> <td>33</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.00019499772644	Order	33	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.00019499772644									
Order	33									
Res	1									
29	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.00018596254932</td> </tr> <tr> <td>Order</td> <td>35</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.00018596254932	Order	35	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.00018596254932									
Order	35									
Res	1									
30	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000183001617432</td> </tr> <tr> <td>Order</td> <td>20</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000183001617432	Order	20	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000183001617432									
Order	20									
Res	1									
31	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000180915771484</td> </tr> <tr> <td>Order</td> <td>21</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000180915771484	Order	21	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000180915771484									
Order	21									
Res	1									
32	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000175046386719</td> </tr> <tr> <td>Order</td> <td>17</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000175046386719	Order	17	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000175046386719									
Order	17									
Res	1									
33	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000174999191294</td> </tr> <tr> <td>Order</td> <td>546</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000174999191294	Order	546	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000174999191294									
Order	546									
Res	1									
34	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000172045013428</td> </tr> <tr> <td>Order</td> <td>517</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000172045013428	Order	517	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000172045013428									
Order	517									
Res	1									
35	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000169065093994</td> </tr> <tr> <td>Order</td> <td>541</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000169065093994	Order	541	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000169065093994									
Order	541									
Res	1									
36	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000162033248901</td> </tr> <tr> <td>Order</td> <td>502</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000162033248901	Order	502	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000162033248901									
Order	502									
Res	1									
37	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000160997192383</td> </tr> <tr> <td>Order</td> <td>545</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000160997192383	Order	545	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000160997192383									
Order	545									
Res	1									
38	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000160038848877</td> </tr> <tr> <td>Order</td> <td>3</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000160038848877	Order	3	Res	1	DELETE FROM 'spipcont'.spip_meta WHERE nom='invalider_caches'
Hors Compilation										
Time	0.000160038848877									
Order	3									
Res	1									

39	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000158901290894</td> </tr> <tr> <td>Order</td> <td>615</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000158901290894	Order	615	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000158901290894																													
Order	615																													
Res	1																													
40	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000156065216064</td> </tr> <tr> <td>Order</td> <td>543</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000156065216064	Order	543	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000156065216064																													
Order	543																													
Res	1																													
41	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000155095230102</td> </tr> <tr> <td>Order</td> <td>57</td> </tr> <tr> <td>Res</td> <td>#714</td> </tr> <tr> <td>id</td> <td>1</td> </tr> <tr> <td>select_type</td> <td>SIMPLE</td> </tr> <tr> <td>table</td> <td>spip_articles</td> </tr> <tr> <td>type</td> <td>const</td> </tr> <tr> <td>possible_keys</td> <td>PRIMARY</td> </tr> <tr> <td>key</td> <td>PRIMARY</td> </tr> <tr> <td>key_len</td> <td>8</td> </tr> <tr> <td>ref</td> <td>const</td> </tr> <tr> <td>rows</td> <td>1</td> </tr> <tr> <td>Extra</td> <td></td> </tr> </tbody> </table>	Hors Compilation		Time	0.000155095230102	Order	57	Res	#714	id	1	select_type	SIMPLE	table	spip_articles	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra		SELECT id_rubrique, lang FROM `spipcont`.`spip_articles` WHERE id_article=2914
Hors Compilation																														
Time	0.000155095230102																													
Order	57																													
Res	#714																													
id	1																													
select_type	SIMPLE																													
table	spip_articles																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra																														
42	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000148973007202</td> </tr> <tr> <td>Order</td> <td>19</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000148973007202	Order	19	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000148973007202																													
Order	19																													
Res	1																													
43	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000137017593384</td> </tr> <tr> <td>Order</td> <td>15</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000137017593384	Order	15	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000137017593384																													
Order	15																													
Res	1																													
44	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000135014465332</td> </tr> <tr> <td>Order</td> <td>32</td> </tr> <tr> <td>Res</td> <td>1</td> </tr> </tbody> </table>	Hors Compilation		Time	0.000135014465332	Order	32	Res	1	DELETE FROM `spipcont`.`spip_meta` WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000135014465332																													
Order	32																													
Res	1																													
45	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.000134063049316</td> </tr> <tr> <td>Order</td> <td>18</td> </tr> <tr> <td>Res</td> <td>#255</td> </tr> <tr> <td>id</td> <td>1</td> </tr> <tr> <td>select_type</td> <td>SIMPLE</td> </tr> <tr> <td>table</td> <td>spip_meta</td> </tr> <tr> <td>type</td> <td>ALL</td> </tr> <tr> <td>possible_keys</td> <td></td> </tr> <tr> <td>key</td> <td></td> </tr> <tr> <td>key_len</td> <td></td> </tr> <tr> <td>ref</td> <td></td> </tr> <tr> <td>rows</td> <td>176</td> </tr> <tr> <td>Extra</td> <td></td> </tr> </tbody> </table>	Hors Compilation		Time	0.000134063049316	Order	18	Res	#255	id	1	select_type	SIMPLE	table	spip_meta	type	ALL	possible_keys		key		key_len		ref		rows	176	Extra		SELECT nom,valeur FROM `spipcont`.`spip_meta`
Hors Compilation																														
Time	0.000134063049316																													
Order	18																													
Res	#255																													
id	1																													
select_type	SIMPLE																													
table	spip_meta																													
type	ALL																													
possible_keys																														
key																														
key_len																														
ref																														
rows	176																													
Extra																														
46	<table border="1"> <thead> <tr> <th colspan="2">Hors Compilation</th> </tr> </thead> <tbody> <tr> <td>Time</td> <td>0.00013302986145</td> </tr> <tr> <td>Order</td> <td>58</td> </tr> <tr> <td>Res</td> <td>#718</td> </tr> <tr> <td>id</td> <td>1</td> </tr> <tr> <td>select_type</td> <td>SIMPLE</td> </tr> <tr> <td>table</td> <td>spip_rubriques</td> </tr> <tr> <td>type</td> <td>const</td> </tr> <tr> <td>possible_keys</td> <td>PRIMARY</td> </tr> <tr> <td>key</td> <td>PRIMARY</td> </tr> <tr> <td>key_len</td> <td>8</td> </tr> <tr> <td>ref</td> <td>const</td> </tr> </tbody> </table>	Hors Compilation		Time	0.00013302986145	Order	58	Res	#718	id	1	select_type	SIMPLE	table	spip_rubriques	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	SELECT id_parent, lang FROM `spipcont`.`spip_rubriques` WHERE id_rubrique=1176				
Hors Compilation																														
Time	0.00013302986145																													
Order	58																													
Res	#718																													
id	1																													
select_type	SIMPLE																													
table	spip_rubriques																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													

	<table border="1"> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td></td></tr> </table>	rows	1	Extra																										
rows	1																													
Extra																														
47	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000132035705566</td></tr> <tr><td>Order</td><td>604</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000132035705566	Order	604	Res	1	DELETE FROM `spipcont`.spip_meta WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000132035705566																													
Order	604																													
Res	1																													
48	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000132024185181</td></tr> <tr><td>Order</td><td>605</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000132024185181	Order	605	Res	1	DELETE FROM `spipcont`.spip_meta WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000132024185181																													
Order	605																													
Res	1																													
49	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000131055969238</td></tr> <tr><td>Order</td><td>612</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000131055969238	Order	612	Res	1	DELETE FROM `spipcont`.spip_meta WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000131055969238																													
Order	612																													
Res	1																													
50	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000130013458252</td></tr> <tr><td>Order</td><td>621</td></tr> <tr><td>Res</td><td>#4130</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>spip_meta</td></tr> <tr><td>type</td><td>ALL</td></tr> <tr><td>possible_keys</td><td></td></tr> <tr><td>key</td><td></td></tr> <tr><td>key_len</td><td></td></tr> <tr><td>ref</td><td></td></tr> <tr><td>rows</td><td>176</td></tr> <tr><td>Extra</td><td></td></tr> </table>	Hors Compilation		Time	0.000130013458252	Order	621	Res	#4130	id	1	select_type	SIMPLE	table	spip_meta	type	ALL	possible_keys		key		key_len		ref		rows	176	Extra		SELECT nom,valeur FROM `spipcont`.spip_meta
Hors Compilation																														
Time	0.000130013458252																													
Order	621																													
Res	#4130																													
id	1																													
select_type	SIMPLE																													
table	spip_meta																													
type	ALL																													
possible_keys																														
key																														
key_len																														
ref																														
rows	176																													
Extra																														
51	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000128068099976</td></tr> <tr><td>Order</td><td>608</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000128068099976	Order	608	Res	1	DELETE FROM `spipcont`.spip_meta WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000128068099976																													
Order	608																													
Res	1																													
52	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000128041442871</td></tr> <tr><td>Order</td><td>101</td></tr> <tr><td>Res</td><td>#931</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>O</td></tr> <tr><td>type</td><td>const</td></tr> <tr><td>possible_keys</td><td>PRIMARY</td></tr> <tr><td>key</td><td>PRIMARY</td></tr> <tr><td>key_len</td><td>8</td></tr> <tr><td>ref</td><td>const</td></tr> <tr><td>rows</td><td>1</td></tr> <tr><td>Extra</td><td>Using temporary Using filesort</td></tr> </table>	Hors Compilation		Time	0.000128041442871	Order	101	Res	#931	id	1	select_type	SIMPLE	table	O	type	const	possible_keys	PRIMARY	key	PRIMARY	key_len	8	ref	const	rows	1	Extra	Using temporary Using filesort	SELECT U.url, U.date, O.titre, lang FROM `spipcont`.spip_rubriques AS O LEFT JOIN `spipcont`.spip_urls AS U ON (U.type='rubrique' AND U.id_objet=O.id_rubrique) WHERE O.id_rubrique=950 ORDER BY U.date DESC LIMIT 1
Hors Compilation																														
Time	0.000128041442871																													
Order	101																													
Res	#931																													
id	1																													
select_type	SIMPLE																													
table	O																													
type	const																													
possible_keys	PRIMARY																													
key	PRIMARY																													
key_len	8																													
ref	const																													
rows	1																													
Extra	Using temporary Using filesort																													
53	<table border="1"> <tr><th colspan="2">Hors Compilation</th></tr> <tr><td>Time</td><td>0.000121071212769</td></tr> <tr><td>Order</td><td>600</td></tr> <tr><td>Res</td><td>1</td></tr> </table>	Hors Compilation		Time	0.000121071212769	Order	600	Res	1	DELETE FROM `spipcont`.spip_meta WHERE nom='invalider_caches'																				
Hors Compilation																														
Time	0.000121071212769																													
Order	600																													
Res	1																													
54	<table border="1"> <tr><th colspan="2">sites (1)</th></tr> <tr><td>Time</td><td>0.000114055267334</td></tr> <tr><td>Order</td><td>397</td></tr> <tr><td>Res</td><td>#1989</td></tr> <tr><td>id</td><td>1</td></tr> <tr><td>select_type</td><td>SIMPLE</td></tr> <tr><td>table</td><td>L1</td></tr> <tr><td>type</td><td>ref</td></tr> </table>	sites (1)		Time	0.000114055267334	Order	397	Res	#1989	id	1	select_type	SIMPLE	table	L1	type	ref	SELECT L1.id_syndic FROM `spipcont`.spip_mots_syndic AS `L1` WHERE (L1.id_mst = 233)												
sites (1)																														
Time	0.000114055267334																													
Order	397																													
Res	#1989																													
id	1																													
select_type	SIMPLE																													
table	L1																													
type	ref																													